

MES

Interactive Display Screen Totems



MES

Interactive Display Screen Totems

MES Totems are high definition screens with high luminance and color displays. It has multiple combination solutions with flexible display functions integrated within a small space clearance design added to low maintenance cost and high reliability. The MEH series come in sizes ranging from 42" to 65" Display Panel Screens.



Specifications

- **Model No.:** MES 46-P
- **Panel size:** 46" TFT-LCD
- **Display area(mm)/mode:** 930.24(H) x 523.26(V) 16:9
- **Maximum resolution:** 1920x1080
- **Display color:** 16.7M
- **Pixel Pitch(mm):** 0.53(H)x0.53(V)
- **Brightness (nits):** 400cd/m²
- **Contrast:** 4000:1
- **Visual angle:** 178°/178°
- **Response time:** 6ms
- **Horizontal frequency:** 50-70KHZ
- **Vertical frequency:** 56-75KHZ
- **Life(hrs):** 60,000(hrs)
- **Touch Panel:** N/A

Input and output

- **VGA:** 1
- **HDMI:** 1
- **USB:** 4
- **LAN:** 1
- **Speaker:** 2x5W(8 ohm)

Video

- **Color system:** PAL/NTSC/SECAM

- **Compatible HDMI:** 480P, 576P, 720P, 1080I, 1080P
- **3D Comb filter:** Yes
- **Video reduction noise:** Yes

OSD display (Screen menu display)

- **Menu language:** English

Computer

- **Main chipset:** Intel H61
- **CPU:** Intel I3-2100 3.1G
- **Graphics card:** Integrated
- **Audio card:** Integrated AC97
- **Network card:** Integrated 10/100/1000M adaptive
- **Memory:** 4G DDRIII
- **Hard Disk:** 320G SATA
- **WIFI:** Included
- **Original windows OS:** Windows 8

Power

- **Power supply:** AC100V~240V, 50/60Hz
- **Maximum power consumption:** ≤200W
- **Standby power consumption:** ≤3W

Temperature

- **Working temperature:** 0°C~50°C
- **Storage temperature:** -10°C~60°C
- **Working humidity:** 20%~80%
- **Storage humidity:** 5%~95%

Appearance

- **Cabinet color/appearance:** White, black, customized
- **Cabinet material:** SPCC/Aluminum/Customized
- **Installation:** Floor-standing
- **Warranty:** 1 year



media mea

3333 Piedmont Rd. NE
Atlanta, GA 30305 - USA

Phone: +1 (404) 400-2088

Fax: +1 (404) 400-2211

E-Mail: info@mediamea.com

Website: www.mediamea.com